

# ARNUITY ELLIPTA

(fluticasone furoate inhalation powder)  
50 mcg, 100 mcg, and 200 mcg

**Talk to Your Doctor  
About ARNUITY ELLIPTA**

## APPROVED USE

- ARNUITY ELLIPTA is a prescription inhaled corticosteroid (ICS) medicine taken as 1 inhalation, once daily, for the control and prevention of asthma in adults and children aged 5 years and older.
- ARNUITY helps to prevent and control symptoms of asthma.
- **ARNUITY is not used to relieve sudden breathing problems** and will not replace a rescue inhaler. Always have a rescue inhaler, such as albuterol, with you to treat sudden breathing problems.

## IMPORTANT SAFETY INFORMATION

- **Do not use ARNUITY** to treat sudden symptoms of asthma. **See full Important Safety information on pages 2 and 3.**

## TALK TO YOUR HEALTHCARE PROVIDER

Only your healthcare provider can tell you which asthma medication is right for you. It is a good idea to assess your asthma regularly and share your assessment with your healthcare provider.

## BEFORE YOUR VISIT

Before your next appointment with your healthcare provider, think about how well your current treatment plan is working. Write down your answers to the Questions for You in the spaces below. By gathering specific information and writing down your answers beforehand, you and your healthcare provider can have a better discussion about how well your treatment is working and if ARNUITY could be right for you.

## QUESTIONS FOR YOU

The results of these questions are not intended to diagnose a condition or disease state and do not replace the advice of a qualified healthcare professional.

1. Which medication(s) are you taking for asthma?

---

2. How often do you use a rescue inhaler?

---

3. How often do you have symptoms?

---

4. How does asthma affect you?

---

5. What other conditions do you have, and are you taking any medication(s) for those conditions?

---

**Please see full Important Safety Information on pages 2 and 3.**

**Please see full Prescribing Information, including Patient Information, available at [arnuity.com](http://arnuity.com).**

## **QUESTIONS FOR YOUR HEALTHCARE PROVIDER** ✓

1. Do I have an asthma treatment goal that I should work toward?

---

2. How well is my current asthma medication working?

---

3. Does my asthma medication cause any serious side effects?

---

4. What are the most common side effects of my asthma medication?

---

5. Will my asthma medication interact with the other medications that I'm taking?

---

6. How long will I need to take my asthma medication?

---

## **IMPORTANT SAFETY INFORMATION**

- **Do not use ARNUITY** to treat sudden symptoms of asthma.
- **Do not use ARNUITY** if you have a severe allergy to milk proteins or are allergic to any of the ingredients in ARNUITY. Ask your healthcare provider if you are not sure.
- **Tell your healthcare provider about all the medicines you take and about all of your health conditions.**
- **Do not** use ARNUITY more often than prescribed.
- Do not stop using ARNUITY unless your healthcare provider tells you to. If you miss a dose of ARNUITY, take it as soon as you remember. Do not take more than 1 inhalation each day. Take your next dose at your usual time.
- **ARNUITY can cause serious side effects, including:**
  - **fungal infection in your mouth or throat (thrush).** Rinse your mouth with water without swallowing after using ARNUITY to help reduce your chance of getting thrush.

**Please see additional Important Safety Information on page 3.**

**Please see full Prescribing Information, including Patient Information, available at [arnuity.com](http://arnuity.com).**

## **IMPORTANT SAFETY INFORMATION (cont'd)**

- **weakened immune system and increased chance of getting infections (immunosuppression).** You should avoid exposure to chickenpox and measles, and, if exposed, consult your healthcare provider without delay. Worsening of existing tuberculosis; fungal, bacterial, viral, or parasitic infections; or herpes infection of the eye (ocular herpes simplex) may occur.
- **reduced adrenal function.** This can happen when you stop taking an oral corticosteroid (such as prednisone) and start taking a medicine containing an inhaled corticosteroid (such as ARNUITY). When your body is under stress, such as from fever, trauma (such as a car accident), infection, surgery, or worse asthma symptoms, adrenal insufficiency can get worse and may cause death. Symptoms of adrenal insufficiency include:
  - feeling tired
  - lack of energy
  - weakness
  - nausea and vomiting
  - low blood pressure (hypotension)
- **sudden breathing problems immediately after inhaling ARNUITY.** If this happens, stop taking ARNUITY and call your healthcare provider right away.
- **serious allergic reactions.** Call your healthcare provider or get emergency medical care if you get any of the following symptoms:
  - rash
  - hives
  - swelling of your face, mouth, and tongue
  - breathing problems
- **bone thinning or weakness (osteoporosis).**
- **slow growth in children and adolescents.** A child's or adolescent's growth should be checked often.
- **eye problems,** including glaucoma, increased pressure in your eye, cataracts, or other changes in vision. You should have regular eye exams while using ARNUITY.
- **Common side effects of ARNUITY include:**
  - runny nose and sore throat
  - headache
  - breathing problems (bronchitis)
  - flu

**Please see additional Important Safety Information on page 2.**

**Please see full Prescribing Information, including Patient Information, available at [arnuity.com](http://arnuity.com).**

**You are encouraged to report negative side effects of prescription drugs to the FDA. Visit [www.fda.gov/medwatch](http://www.fda.gov/medwatch), or call 1-800-FDA-1088.**

Trademarks are owned by or licensed to the GSK group of companies.

